OHW SST

Height: 16.9" Width: 7.1" Depth: 10.8" (42.9cm) (18.0cm) (27.4cm)



- Includes drip tray
- High quality, easy-to-clean stainless steel exterior and tank for a long, dependable life
- No waiting- draw hot water anytime-even immediately after refilling
- Space-saving size to fit anywhere. Just 6.6" (16.8cm) wide and 16.9" (42.9cm) high
- Tank size: 80oz (2.37L)
- Steaming hot water constantly available for fast, hot refreshment preparation a
 quick cup at a time
- Plugs into any 120 volt outlet, no plumbing needed

Agency:





Specifications

Water Access: Not Plumbed

Finish: Stainless
Faucet: Upper

Electrical & Capacity

			<u>, </u>						
Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Phase		# Wires plus Ground	Hertz
120	8.6	1040	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

r fambling requirements					
PSI kPa		Fitting Supplied	Water Flow Required (GPM)		
-	-	-	-		


CAD Drawings


Additional Features


2D	Revit	KLC
•		


MARNING:











Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	16.9 in.	7.1 in.	10.8 in.	22.6 in.	10.6 in.	13.4 in.	11.950 lbs	1.856 ft³
Metric	42.9 cm	18.0 cm	27.4 cm	57.3 cm	27.0 cm	34.0 cm	5.421 kgs	0.053 m³



Related Products & Accessories: OHW SST(02550.0003)









FOOT, RUBBER

Product #: 02547.0000

Product #: 02571.0000

Serving & Holding Options: OHW SST(02550.0003)
Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

