FMD-1 BLK

Height: 29.5" Width: 8.2" Depth: 21.4" (74.9cm) (20.8cm) (54.4cm)

- Adjustable legs and drip tray allows up to 7" (17.8cm) opening for 20oz cups
- Designed to be easily serviced from front and top of machine
- Improved automatic rinsing of whipper reduces run-on after beverage is dispensed
- Large easy-to-fill translucent hopper holds 8lb (3.6kg) of product, ensuring quick and timely refilling
- Lighted graphics merchandise drinks for maximizing profits
- Space saving narrow 8" (20.3cm) cabinet width
- Specially designed mixing system guarantees perfect beverages every time
- Variable speed motors allow control of product consistency in mixing chamber (.75 to 6.6 grams of powder per second)

Agency:

Specifications

Product #: 28700.6001 **Door:** Lit

Water Access: Plumbed Door: Top Hinge

Finish: Black Dispense: Push Button

Hoppers: One

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	67	60°F (15.5°C)	-	-	-

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1						
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				


CAD Drawings

Additional Features

2D	Revit	KLC		
•				

MARNING:





Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	29.5 in.	8.2 in.	21.4 in.	30.8 in.	10.8 in.	23.8 in.	-	4.555 ft ³
Metric	74.9 cm	20.8 cm	54.4 cm	78.1 cm	27.3 cm	60.5 cm	-	0.129 m³



Related Products & Accessories: FMD-1 BLK(28700.6001)

















Serving & Holding Options: FMD-1 BLK(28700.6001)

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.

