CWTF15-2, PF (1U/1L Warmer)

Height: 18.9" Width: 8.4" Depth: 21.4" (48.0cm) (21.3cm) (54.4cm)



• Model is space-saving 8.5" (21.6cm) wide

- All stainless steel construction
- Hot water faucet (requires active plumbing connection)
- Pourover feature
- SplashGard® funnel deflects hot liquids away from the hand
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Server(s) sold separately

Specifications

Product #: 12950.0211

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	13	1570	Yes	NEMA 5-15P	61	60°F (15.5°C)	1	2	60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

CAD Drawings

	<u> </u>				U	
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	1/4" Male Flare Fitting	-	•		

WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle



the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Additional Features


Pourover Option

Agency:

Faucet: Upper

Warmers: One Upper/ One Lower





	Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	18.9 in.	8.4 in.	21.4 in.	23.8 in.	12.5 in.	26.5 in.	32.100 lbs	4.566 ft ³	
Metric	48.0 cm	21.3 cm	54.4 cm	60.3 cm	31.8 cm	67.4 cm	14.561 kgs	0.129 m³	




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 07/13/2022

 For most current specifications and other info visit bunn.com.
 07/13/2022

Related Products & Accessories:CWTF15-2, PF (1U/1L Warmer)(12950.0211)





CARTRIDGE, WEQ-10

(1.5)5L

Product #: 56000.0121

CARTRIDGE, WEQ-10.3

(1.67)5L

Product #: 56000.0137

Serving & Holding Options: CWTF15-2, PF (1U/1L Warmer)(12950.0211)

EASY POUR®,(BLK) 1/CS Product #:06100.0101	EASY POUR®,(BLK) 2/CS Product #:06100.0102	EASY POUR®,(BLK) 3/CS Product #:06100.0103	EASY POUR®,(BLK) 6/CS Product #:06100.0106	EASY POUR®,(BLK) 12/ CS Product #:06100.0112
EASY POUR®,(BLK) 24/	EASY POUR®,(ORN) 1/	EASY POUR®,(ORN) 2/	EASY POUR®,(ORN) 3/	EASY POUR®,(ORN) 24/
CS	CS	CS	CS	CS
Product #:06100.0124	Product #:06101.0101	Product #:06101.0102	Product #:06101.0103	Product #:06101.0124
DECANTER, GLASS-BLK	DECANTER,GLASS-BLK	DECANTER,GLASS-BLK	DECANTER,GLASS-ORN	DECANTER, GLASS-
12C 24/CS	12CUP 1PK	12C 3/CS	12C 24/CS	ORN 12 CUP 1PK
Product #:42400.0024	Product #:42400.0101	Product #:42400.0103	Product #:42401.0024	Product #:42401.0101



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 07/13/2022