

GOLDEN TANDOORS

Redefining Tandoori Ovens



475 Wall Street, Princeton, New Jersey 08540 USA
Tel: 609 921 6282 & 609 961 0261 Fax: 609 683 9633
info@goldentandoors.com | www.goldentandoors.com



ANSI / NSF STD 4



ANS Z83.11b -2009
CSA 1.8b - 2009

NSF/ANSI-4/ETL/CSA CERTIFIED RANGE OF GAS TANDOORS

RESTAURANTS | BANQUETS
& TAKEAWAYS



FEATURES

- READY TO USE (NO FITTINGS OF BURNERS OR PLATE OR CONTROL VALVES).
- ANSI/FDA CERTIFIED CLAY (US & CANADA).
- NSF/ANSI-4/ETL CERTIFIED* FOR GAS SAFETY AND SANITATION (US & CANADA)
- AUTO IGNITION – CSA CERTIFIED* (NO MORE MATCH LIGHTS OR BURNING PAPER)
- PANEL DESIGN TO SUIT LEFT HANDED AND RIGHT HANDED USERS.
- FLAME FAILURE SAFETY DEVICE – CSA/AGA/CE CERTIFIED* (SAFETY AT WORK)
- PILOT FLAME – CSA CERTIFIED* (GET CONVENIENCE AND SAVE GAS TOO)
- HEAVY DUTY GAS BURNER (VERY HIGH BTU/KW WITH SIM CONTROL)
- DOUBLE INSULATED WITH CERAMIC INSULATION.
- DOUBLE BODY MONOCOQUE CHASSIS DESIGN.
- ECONOMICAL & FUEL SAVER.
- HIGH QUALITY STAINLESS STEEL EXTERIOR.
- VERY HEAVY DUTY BURNER BAFFLE PLATE (DEFLECTS FLAME WHERE MOST REQUIRED – LASTS VERY LONG).
- HEAVY DUTY CERTIFIED WHEELS WITH BRAKE FOR EASY PLACEMENT & MOBILITY.
- STAINLESS STEEL TOWEL HANGER*
- HEAVY DUTY TAPER TOP COVER FOR GAS ESCAPE (CANNOT COMPLETELY CLOSE THE LID ACCIDENTLY – AVOIDS BUILD UP OF BAD GASES & INCREASES LIFE OF CLAY POT)
- THE OUTER BODY REMAINS COOL THUS THE USER WORKS UNDER NO FATIGUE WITH A LESS HEATED SURROUNDING.
- EASY ACCESS FOR GAS PIPE LINE AND BURNER. (SERVICING & CLEANING IS EASY)
- PROPER ENTRY POINT FOR GAS (NO MORE HANGING PIPES POSING RISK)
- STAINLESS STEEL BOWL WITH SS COVER & SS LID*.

As per US law all gas fired equipment needs to be listed ETL/CSA/ANZ for gas safety.
Non compliance and using non ETL/CSA/ANZ gas safety listed products can result in loss of life & property.



In the USA
we Deliver
via UPS



AUTHENTIC TANDOORS FOR THE PERFECT TANDOORI TASTE FROM THE LAND OF TANDOORI FOOD

NSF/ANSI-4/ETL CERTIFIED FOR GAS SAFETY AND SANITATION



ANSI / NSF STD 4



ANS Z83.11b -2009
CSA 1.8b - 2009

- Breather For Longer Life of Pot
- Removable Heavy Metal Ring on Top for Long Life
- 16 Gauge Heavy Stainless Steel
- Heavy Duty Towel Hanger
- CE/CSA/AGA Certified Single Control knob with Gas Safety
- Piezo Ignition
- Joint less Body Design
- 16 Gauge Stainless Steel Gas Panel



HEAT RESISTANT HANDLE ON MOUTH COVER



EASY CLEAN PANEL DESIGN



LOCKABLE HEAVY DUTY WHEELS




STAINLESS STEEL BOWL WITH SS LID*



STAINLESS STEEL TOWEL HANGER

DOUBLE BODY DOUBLE INSULATION WITH CERAMIC SANDWICH

- 2nd BODY-STAINLESS STEEL
- 2nd INSULATION- CERAMIC
- 1st BODY-STEEL
- 1st INSULATION
- CLAY POT



Images are for representation only, specifications subject to change without prior notice.
*Model Specific: Due to Continuous improvement specifications and sizes are subject to change without prior notice. Ask for latest Specification Sheet for Precise Gas Type and pressures for particular models.



GT-8100 GAS TANDOOR

WIDE MOUTH OPENING WITH A LARGE BELLY TO HANDLE HIGH VOLUME BREADS & SKEWERS

16 GAUGE THICK
Stainless Steel

BOWL
Stainless Steel

SPECIAL
Clay Pot

GAS CONTROLS
on knee height

DOUBLE BODY
Double Insulation

SPECIFICATIONS

| | |
|--------------------------------|---|
| Model Number | GT-8100 |
| Product Description | Stainless Steel Clay Clad Oven for Commercial Establishments |
| Approvals / Listings | Certified ANSI NSF-4 & ANS Z83.11b 2009, CSA 1.8b - 2009 |
| Gas Type | Natural Gas |
| Gas Pressure | W.C - 7 KPa- 1.74 |
| Gas Safety | Equipped with Approved Flame Failure Safety Device (Thermocouple) and Pilot |
| Safety & Sanitation | Listed Product ANSI NSF - 4 |

Exterior Dimensions
Dimensions are rounded off to the nearest inch.

Height (with wheels) 37 Inch (94cm)
Width 32 Inch (81cm)
Depth 36 Inch (91cm)
Mouth Opening 15 Inch (38cm)
Hand made product so some variations in the size



ANSI / NSF STD 4



ANS Z83.11b -2009
CSA 1.8b - 2009



GT-7100 GAS TANDOOR

PERFECT SIZE FOR MEDIUM & SMALL KITCHENS

16 GAUGE THICK
Stainless Steel

BOWL
Stainless Steel

SPECIAL
Clay Pot

GAS CONTROLS
on knee height

DOUBLE BODY
Double Insulation

SPECIFICATIONS

| | |
|--------------------------------|---|
| Model Number | GT-7100 |
| Product Description | Stainless Steel Clay Clad Oven for Commercial Establishments |
| Approvals / Listings | Certified ANSI NSF-4 & ANS Z83.11b 2009, CSA 1.8b - 2009 |
| Gas Type | Natural Gas |
| Gas Pressure | W.C - 7 KPa- 1.74 |
| Gas Safety | Equipped with Approved Flame Failure Safety Device (Thermocouple) and Pilot |
| Safety & Sanitation | Listed Product ANSI NSF - 4 |

Exterior Dimensions
Dimensions are rounded off to the nearest inch.

Height (with wheels) 34 Inch (86cm)
Width 28 Inch (71cm)
Depth 32 Inch (81cm)
Mouth Opening 13 Inch (33cm)
Hand made product so some variations in the size



ANSI / NSF STD 4



ANS Z83.11b -2009
CSA 1.8b - 2009



GT-5100 GAS TANDOOR

CERTIFIED CATERING GAS TANDOOR THAT IS CHANGING THE WAY AMERICA COOKS TANDOORI FOOD

16 GAUGE THICK
Stainless Steel

NATURAL GAS /
L.P. Gas

SPECIAL
Clay Pot

GAS CONTROLS
on knee height

DOUBLE BODY
Double Insulation

SPECIFICATIONS

| | |
|--------------------------------|---|
| Model Number | GT-5100 |
| Product Description | Stainless Steel Clay Clad Oven for Commercial Establishments |
| Approvals / Listings | Certified ANSI NSF-4 & ANS Z83.11b 2009, CSA 1.8b - 2009 |
| Gas Type | Natural Gas L.P Gas |
| Gas Pressure | W.C - 7 / KPa- 1.74 W.C - 11/kPa -2.74 |
| Gas Safety | Equipped with Approved Flame Failure Safety Device (Thermocouple) and Pilot |
| Safety & Sanitation | Listed Product ANSI NSF - 4 |

Exterior Dimensions
Dimensions are rounded off to the nearest inch.

Height (with wheels) 32 Inch (81cm)
Width 24 Inch (61cm)
Depth 28 Inch (71cm)
Mouth Opening 12 Inch (31cm)
Hand made product so some variations in the size



ANSI / NSF STD 4



ANS Z83.11b -2009
CSA 1.8b - 2009



GOLDEN TANDOORS
Redefining Tandoori Ovens



475 Wall Street, Princeton, New Jersey 08540 USA
Tel: 609 921 6282 & 609 961 0261 Fax: 609 683 9633
info@goldentandoors.com | www.goldentandoors.com

Doorstep delivery in U.S.A

