

AXIOM-15-3 (2U/1L Warmer)

18.9" x 17.8" x 8.5"
(48.0cm x 45.2cm x 21.6cm)



- Adjusts automatically to varying water pressure
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Cold brew lock-out and automatic warmer time-out ensure high quality, fresh tasting coffee
- Front of machine programming simplifies installation
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass.
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand

Agency:

Specifications

Product #: 38700.6000

Warmers: Two Upper/ One Lower

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Faucet: Upper

Additional Features

DBC

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	72	60°F (15.5°C)	-	-	-

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-


CAD Drawings

2D	Revit	KLC
●		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
05/09/2018



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	8.5 in.	18.9 in.	17.8 in.	- in.	- in.	- in.	-	-
Metric	21.6 cm	48.0 cm	45.2 cm	- cm	- cm	- cm	-	-



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Created on:
05/09/2018

Related Products & Accessories:AXIOM-15-3 (2U/1LWarmer)(38700.6000)



STOVE,WX2 120V/200W

Product #: 06310.6000



STOVE,WX1 120V/100W

Product #: 06450.6000



FILTERS,REG/1M

Product #: 20115.6000



WATER FILTER
SYSTEM,EQ-17-TL

Product #: 30200.1000



WATER FILTER,IN LINE
ED-17-TL

Product #: 30201.1001



Serving & Holding Options: AXIOM-15-3 (2U/1LWarmer)(38700.6000)

 <p>EASY POUR,(BLK) 1/CS</p> <p>Product #:06100.0101</p>	 <p>EASY POUR,(BLK) 2/CS</p> <p>Product #:06100.0102</p>	 <p>EASY POUR,(BLK) 3/CS</p> <p>Product #:06100.0103</p>	 <p>EASY POUR,(BLK) 6/CS</p> <p>Product #:06100.0106</p>	 <p>EASY POUR,(BLK) 12/CS</p> <p>Product #:06100.0112</p>
 <p>EASY POUR,(BLK) 24/CS</p> <p>Product #:06100.0124</p>	 <p>EASY POUR,(BLK) 6-1/CS</p> <p>Product #:06100.0156</p>	 <p>EASY POUR,(ORN) 1/CS</p> <p>Product #:06101.0101</p>	 <p>EASY POUR,(ORN) 2/CS</p> <p>Product #:06101.0102</p>	 <p>EASY POUR,(ORN) 3/CS</p> <p>Product #:06101.0103</p>
 <p>EASY POUR,(ORN) 6/CS</p> <p>Product #:06101.0106</p>	 <p>EASY POUR,(ORN) 12/CS</p> <p>Product #:06101.0112</p>	 <p>EASY POUR,(ORN) 24/CS</p> <p>Product #:06101.0124</p>	 <p>DECANTER,GLASS-BLK 12C 24/CS</p> <p>Product #:42400.0024</p>	 <p>DECANTER,GLASS-BLK 12CUP 1PK</p> <p>Product #:42400.0101</p>
 <p>DECANTER,GLASS-BLK 12C 3/CS</p> <p>Product #:42400.0103</p>	 <p>DECANTER,GLASS-ORN 12C 24/CS</p> <p>Product #:42401.0024</p>	 <p>DECANTER, GLASS-ORN 12 CUP 1PK</p> <p>Product #:42401.0101</p>	 <p>DECANTER,GLASS-ORN 12C 3/CS</p> <p>Product #:42401.0103</p>	

