AXIOM 4/2 TWIN (4U/2LWarmers)

19.1" x 17.7" x 16.4" (48.5cm x 45.0cm x 41.7cm)



- Adjusts automatically to varying water pressure
- Automatic warmer shut-off
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Electronic diagnostics and built-in tank drain make service easier
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Ensure coffee quality with programming for brew level, cold brew lock- out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature precision
- All stainless steel construction
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnels deflect hot liquids away from the hand
- Six individually controlled warming stations
- Twin brew head system

Agency:

Warmers: Four Upper / Two Lower

Specifications

Product #: 38700.6014

Water Access: Plumbed

Finish: Stainless

Funnel: Stainless Steel

Faucet: Upper

Additional Features

DBC

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
-	-	-	-	-	240	60°F (15.5°C)	-	-	-

Plumbing Requirements


	· · · · · · · · · · · · · · · · · · ·							
PSI		kPa Fitting Supplied		Water Flow Required (GPM)				
	20-90	138-621	3/8" Male Flare Fitting	-				


CAD Drawings


2D	Revit	KLC
•		




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.









Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	16.4 in.	19.1 in.	17.7 in.	- in.	- in.	- in.	-	-	
Metric	41.7 cm	48.5 cm	45.0 cm	- cm	- cm	- cm	-	-	



Related Products & Accessories: AXIOM 4/2 TWIN (4U/2LWarmers)(38700.6014)

















Serving & Holding Options: AXIOM 4/2 TWIN (4U/2LWarmers)(38700.6014)



EASY POUR, (BLK) 1/CS

Product #:06100.0101



EASY POUR,(BLK) 2/CS

Product #:06100.0102



EASY POUR,(BLK) 3/CS

Product #:06100.0103



EASY POUR,(BLK) 6/CS

Product #:06100.0106



EASY POUR,(BLK) 12/CS

Product #:06100.0112



EASY POUR, (BLK) 24/CS

Product #:06100.0124



EASY POUR,(BLK) 6-1/

Product #:06100.0156



EASY POUR, (ORN) 1/CS

Product #:06101.0101



EASY POUR, (ORN) 2/CS

Product #:06101.0102



EASY POUR, (ORN) 3/CS

Product #:06101.0103



EASY POUR,(ORN) 6/CS

Product #:06101.0106



EASY POUR,(ORN) 12/ CS

Product #:06101.0112



EASY POUR,(ORN) 24/ CS

Product #:06101.0124



DECANTER,GLASS-BLK 12C 24/CS

Product #:42400.0024



DECANTER,GLASS-BLK 12CUP 1PK

Product #:42400.0101



12C 3/CS

Product #:42400.0103



DECANTER,GLASS-ORN 12C 24/CS

Product #:42401.0024



DECANTER, GLASS-ORN 12 CUP 1PK

Product #:42401.0101



DECANTER,GLASS-ORN 12C 3/CS

Product #:42401.0103

