

Split Drawer Warmers

Models: HDW-1R2, -1.5R2, -2R2

Expand holding capacities with Hatco's Split Drawer Warmer. Ideal for holding products that are lower in height profile such as bacon, sausage, hot dogs, rolls, pot pies and delicate products that should not be stacked. Each drawer features adjustable sliding vents and individual thermostatic controls to hold a wide variety of hot foods safely for peak serving periods.

Standard features

- Each drawer has a recessed individual thermostatic control, and temperature monitor - optional touchscreen display control
- Adjustable sliding vents on each drawer (No vents available as an option)
- Standard 20.75" x 12.75" x 2.5" (527 x 324 x 64 mm) pan supplied with each drawer
- Each drawer will accommodate one ½ sheet pan
- Units come with 6' (1829 mm) cord, plug, and 4" (102 mm) legs
- · Anti-tip bracket with hardware or deck mount legs included

Project			
Item #			
Quantity -			



Options (available at time of purchase only)

- ☐ Touchscreen display control (TTC)
- ☐ No drawer vents

Accessories

☐ Stainless Steel Food Pans

















Split Drawer Warmers Models: HDW-1R2, -1.5R2, -2R2

HDW-1R2, -2R2

HDW-1.5R2





SPECIFICATIONS Split Drawer Warmers STANDARD MECHANICAL CONTROLS

The shaded areas contain electrical information for International models

Model	Dimensions [●] (Width x Depth x Height)	Volts	Phase	Watts	Amps	Plug≻	Approx Ship Weight*
HDW-1R2	28.875" x 16.5"x 14.862" (733 x 419 x 378 mm)	120		690	5.8	NEMA 5-15P BS-1363, 7/7 Schuko AS-3112	90 lbs. (41 kg)
		220	Single	580	2.6		
		230	Sirigle	634	2.8		
		240		690	2.9		
HDW-1.5R2	28.875" x 16.5" x 19.43" (733 x 419 x 494 mm)	120		990	8.3	NEMA 5-15P BS-1363, 7/7 Schuko AS-3112	112 lbs. (51 kg)
		220	C:I-	832	3.8		
		230	Single	909	4		
		240		990	4.1		
HDW-2R2	28.875"x 16.5" x 24" (733 x 419 x 610 mm)	120		1290	10.8	NEMA 5-15P	135 lbs. (61 kg)
		220	Single	1084	4.9	BS-1363, 7/7 Schuko, AS-3112	
		230	Sirigle	1185	5.2		
		240		1290	5.4		

SPECIFICATIONS Split Drawer Warmers TOUCH SCREEN CONTROL

The shaded areas contain electrical information for International models

Model	Dimensions (Width x Depth x Height)	Volts	Phase	Watts	Amps	Plug*	Approx Ship Weight*
HDW-1R2	28.875" x 16.5"x 14.862" (733 x 419 x 378 mm)	120	Single	715	6.0	NEMA 5-15P BS-1363, 7/7 Schuko AS-3112	90 lbs. (41 kg)
		220		605	2.8		
		230		659	2.9		
		240		715	3.0		
HDW-1.5R2	28.875" x 16.5" x 19.43" (733 x 419 x 494 mm)	120	Single	1020	8.5	NEMA 5-15P	112 lbs. (51 kg)
		220		862	3.9	BS-1363, 7/7 Schuko AS-3112	
		230		939	4.1		
		240		1020	4.3		
HDW-2R2	28.875"x 16.5" x 24" (733 x 419 x 610 mm)	120		130	11.0	NEMA 5-15P	135 lbs. (61 kg)
		220	Single	1114	5.0	BS-1363, 7/7 Schuko, AS-3112	
		230		1215	5.3		
		240		1320	5.5		

Height includes 4" (102 mm) legs (castors not available). Add 1.25" (32 mm) to Depth for drawer handle. Plug configuration must be specified for international models (220V, 230V, 240V).

* Shipping weight includes packaging.


Note: If 4" (102 mm) legs are not used, the unit must be sealed to the counter.

HATCO CORPORATION P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. (800) 558-0607 (414) 671-6350 www.hatcocorp.com support@hatcocorp.com Find a Hatco Rep Image Library Document Library Chat

CORD LOCATION

Back of unit, lower left corner.

PLUG CONFIGURATIONS



PRODUCT SPECS Split Drawer Warmers

The Drawer Warmers shall be a Hatco model ... , as manufactured by the Hatco Corporation, Milwaukee, WI 53234, U.S.A.

The unit shall have ... drawer(s) and be rated at ... watts, ... amps. Freestanding model shall be equipped with a cord and plug.

The Drawer Warmer shall have a stainless steel exterior, interior, drawer slides, and assembly. The drawer assembly shall fully extend to allow removal of pans

without tilting. The unit shall be insulated on top, back, bottom and sides of cabinet, thermostat and temperature monitor or optional touch display control on each drawer.

Options: Touchscreen display control (TTC), no drawer vents. Accessories: Stainless Steel Food Pans.

Warranty consists of 24/7 parts and service assistance (U.S. and Canada only).

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (800) 558-0607 | (414) 671-6350

www.hatcocorp.com | support@hatcocorp.com | Find a Hatco Rep | Image Library | Document Library | Chat